	MASTER CHEF RANGE TT-2006 X	MASTER CHEF RANGE TP-2006 X	PRACTICA RANGE TTE-320	PRACTICA RANGE TTE-310	PRACTICA RANGE TTE-300	PRACTICA RANGE TP-330
Code	963010196	963010249	963010230	963010212	963010221	963010203
EAN-13	8412788016432	8412788019044	8412788018887	8412788018863	8412788018870	8412788018856
Voltage / Frequency	230 V~/ 50 Hz	230 V~/ 50 Hz	230 V~/ 50 Hz	230 V~/ 50 Hz	230 V~/ 50 Hz	230 V~/ 50 Hz
Power	800 W	700 W	1,700 W	950 W	970 W	650 W
Slots	2	grill	2	1	2	grill
Electronic thermostat	●		●	●	●	
LCD retroiluminated display		●				
Mechanical timer		5 min.				5 min.
Thermostat settings	6		9	9	9	
Start button	●	●	●	●	●	
Stop button	●	●				
Reheat button	●		●	●	●	
Defrost button	●	●	●	●	●	
Automatic stop	●	●	●	●	●	●
Crumb tray	●	●	●	●	●	●
Cable storage	●	●	●	●	●	
Gross weight case	1.9 Kg.	1.74 Kg.	2.46 Kg.	1.5 Kg.	1.75 Kg.	1.15 Kg.
Case size (mm.) (H x W x D)	241 x 179 x 289	95 x 395 x 275	218 x 186 x 413	194 x 133 x 410	218 x 186 x 290	93 x 212 x 387
Gross weight package	3.9 Kg.	7.9 Kg.	5.8 Kg.	7 Kg.	7.8 Kg.	5.8 Kg.
Net weight package	3.1 Kg.	7 Kg.	4.96 Kg.	5.08 Kg.	6.04 Kg.	5.3 Kg.
Packaging size (mm.) (H x W x D)	257 x 370 x 316	429 x 295 x 405	252 x 436 x 392	445 x 415 x 290	470 x 395 x 310	420 x 450 x 210
Nº units shipped	2	4	2	4	4	4
Saleable units per layer	12	6	8	16	24	24
Nº items per pallet	96	24	64	32	48	72
Pallet size (mm.) (H x W x D)	1,750 x 1,200 x 800	2.430 x 1.200 x 800	1,900 x 1,200 x 800	1,870 x 1,200 x 800	1,985 x 1,200 x 800	1,759 x 1,200 x 800

electric kettles'

	MASTER CHEF RANGE TK-2006 X	VITALIA RANGE TK-418	TK-180	TK-100
Code	961010421	961010653	961010305	961010298
EAN-13	8412788016449	8412788020316	8412788013912	8412788013905
Voltage / Frequency	220-240 V~/ 50-60 Hz	240 V~/ 50 Hz	230 V~/ 50 Hz	220-240 V~/ 50 Hz
Power	1,850-2,200 W	2.000 W	2,000 W	915-1,089 W
Jug capacity	1.2 litres	1.7 litres	1.8 litres	1 litre
Operating thermostat		●	●	●
Thermal safety device	●	●	●	●
On/Off switch	●	●	●	●
On/Off pilot light	●	●	●	●
Water level visor	●	translucent	●	●
Safety lid	●	●		
Hinged lid	●	●	●	●
Stainless steel element		hidden		
Cable storage	●	●	●	●
Cable length	1 m.	1 m.	0.75 m.	0.75 m.
Gross weight case	1 Kg.	1 Kg.	0.9 Kg.	0.75 Kg.
Case size (mm.) (H x W x D)	254 x 217 x 217	205 x 185 x 235	225 x 180 x 205	205 x 138 x 195
Gross weight package	3.75 Kg.	3,1 Kg.	3 Kg.	2.8 Kg.
Net weight package	3.2 Kg.	2,2 Kg.	2.2 Kg.	1.7 Kg.
Packaging size (mm.) (H x W x D)	270 x 230 x 450	250 x 215 x 382	240 x 375 x 215	220 x 205 x 290
Nº units shipped	2	2	2	2
Saleable units per layer	12	12	20	22
Nº items per pallet	84	84	140	154
Pallet size (mm.) (H x W x D)	1,750 x 1,200 x 800	1,750 x 1,200 x 800	1,600 x 1,200 x 800	1,750 x 1,200 x 800

H: Height, W: Width, D: Depth

toasters

	TTE-950 V	TTE-750 V	VITALIA RANGE TE-291 C	VITALIA RANGE TE-290 C
Code	963010114	963010123	963010105	963010061
EAN-13	8412788012571	8412788012588	8412788011109	8412788009397
Voltage / Frequency	230 V~/ 50 Hz	230 V~/ 50 Hz	230 V~/ 50 Hz	230 V~/ 50 Hz
Power	950 W	750 W	880 W	950 W
Slots	1	2	1	1
Electronic thermostat	●	●	●	●
LCD retroiluminated display				
Mechanical timer				
Thermostat settings	6	6	9	6
Start button	●	●	●	●
Stop button	●	●	●	●
Reheat button				
Defrost button				
Automatic stop	●	●	●	●
Crumb tray	●	●	●	●
Cable storage	●	●		●
Gross weight case	1.3 Kg.	1 Kg.	1.72 Kg.	1.3 Kg.
Case size (mm.) (H x W x D)	209 x 145 x 410	200 x 156 x 310	175 x 130 x 418	209 x 145 x 410
Gross weight package	7.8 Kg.	8.4 Kg.	12 Kg.	7.8 Kg.
Net weight package	7.2 Kg.	6.2 Kg.	10.8 Kg.	7.2 Kg.
Packaging size (mm.) (H x W x D)	440 x 460 x 440	425 x 490 x 325	375 x 435 x 405	440 x 460 x 440
Nº units shipped	6	6	6	6
Saleable units per layer	30	30	24	36
Nº items per pallet	120	120	120	180
Pallet size (mm.) (H x W x D)	1,880 x 1,200 x 800	1,855 x 1,200 x 800	1,993 x 1,200 x 800	2,010 x 1,200 x 800

liquidiser

	VITALIA RANGE LC-400	PRACTICA RANGE LC-320
Code	967010160	967010188
EAN-13	8412788026530	8412788018849
Voltage / Frequency	230 V~/ 50-60 Hz	230 V~/ 50 Hz
Power	450 W	300 W
Juice container capacity	2.1 litres	
On-Off switch.	●	●
Dual safety switch	●	●
No. of speeds	2	2
Cable storage		●
Gross weight case	3.4 Kg.	2 Kg.
Case size (mm.) (H x W x D)	346 x 210 x 340	272 x 178 x 178
Gross weight package	12.4 Kg.	6.4 Kg.
Net weight package	11.4 Kg.	5.4 Kg.
Packaging size (mm.) (H x W x D)	340 x 346 x 210	285 x 560 x 190
Nº units shipped	2	3
Saleable units per layer		24
Nº items per pallet		144
Pallet size (mm.) (H x W x D)		1,875 x 1,200 x 800

juice extractors

	MASTER CHEF RANGE MZ-2006 X	VITALIA RANGE MZ-486	PRACTICA RANGE MZ-356	PRACTICA RANGE MZ-336
Code	967010151	967010213	967010204	967010197
EAN-13	8412788020606	8412788020248	8412788019211	8412788019204
Voltage / Frequency	230 V~/ 50 Hz	230 V~/ 50 Hz	230 V~/ 50 Hz	230 V~/ 50 Hz
Power	100 W	50 W	30 W	20 W
Tank capacity	without deposit	1 litre	0.6 litres	0.35 litres
Turn	1 direction	2 directions	2 directions	
Transparent measuring jug		●	●	●
Cable storage	●	●	●	
Pulp pressure blades		●	●	●
Protective lid	●	●	●	●
Anti-drip system	●			
Pulp scrapers	●			
Removable	●	●	●	●
Gross weight case	2.03 Kg.	1.216 Kg.	0.950 Kg.	0.776 Kg.
Case size (mm.) (H x W x D)	207 x 207 x 300	260 x 195 x 240	205 x 185 x 205	176 x 160 x 192
Gross weight package	10.7 Kg.	8.396 Kg.	6.7 Kg.	5.656 Kg.
Net weight package	8 Kg.	7.296 Kg.	5.7 Kg.	4.656 Kg.
Packaging size (mm.) (H x W x D)	429 x 325 x 429	600 x 353 x 260	425 x 570 x 222	367 x 495 x 209
Nº units shipped	2	6	6	6
Saleable units per layer	7	3	7	7
Nº items per pallet	42	18	28	35
Pallet size (mm.) (H x W x D)	1,980 x 1,200 x 800	1,500 x 1,200 x 800	880 x 1,200 x 800	1,050 x 1,200 x 800

drip feed' coffee makers

	MASTER CHEF RANGE CG-2006 X	VITALIA RANGE CG-416 TH	VITALIA RANGE CG-414 D	VITALIA RANGE CG-412	VITALIA RANGE CG-406
Code	961010430	961010476	961010537	961010546	961010617
EAN-13	8412788016456	8412788018382	8412788018399	8412788018405	8412788019143
Voltage / Frequency	230 V~/ 50 Hz	230 V~/ 50 Hz	230 V~/ 50 Hz	230 V~/ 50 Hz	230 V~/ 50 Hz
Power	1,300 W	1.000 W	1,000 W	1,000 W	750 W
Tank capacity	1.4 litres	1 litre	1.45 litres	1.45 litres	0.8 litres
On-Off switch	●	●	electronic	●	●
On pilot light	●	●	●	●	●
Pivoting filter holder	dismountable		dismountable	dismountable	dismountable
Anti-drip valve	●	●	●	●	●
Permanent filter	●	●	●	●	●
Water level view window	●	●	●	●	●
Translucent tank	●				
Cord storage					●
Hotplate	●		●	●	●
Jug type		thermo	glass	glass	glass
Delayed start			●		
Display			●		
Aroma Control		●	●		
Cable length		1 m.	1 m.	1 m.	1 m.
Gross weight case	3.4 Kg.	3.02 Kg.	2.87 Kg.	2.87 Kg.	1.2 Kg.
Case size (mm.) (H x W x D)	446 x 234 x 341	358 x 303 x 198	358 x 303 x 198	358 x 303 x 198	280 x 152 x 250
Gross weight package	7.8 Kg.	13.88 Kg.	13.28 Kg.	13.28 Kg.	6.4 Kg.
Net weight package	6.8 Kg.	12.08 Kg.	11.48 Kg.	11.48 Kg.	4.4 Kg.
Packaging size (mm.) (H x W x D)	485 x 470 x 355	358 x 303 x 198	358 x 303 x 198	379 x 619 x 409	300 x 318 x 514
Nº units shipped	2	4	4	4	4
Saleable units per layer	8	16	16	12	6
Nº items per pallet	32	80	64	60	36
Pallet size (mm.) (H x W x D)	1,995 x 1,200 x 800	1,607 x 1,200 x 800	1,995 x 1,200 x 800	1,995 x 1,200 x 800	1,800 x 1,200 x 800

H: Height, W: Width, D: Depth

express' coffee makers

	CR-18	CR-14	CR-10	CR-282	CR-1000
Code	961010528	961010662	961010485	961010127	961010323
EAN-13	8412788017712	8412788026516	8412788017705	8412788010782	8412788015367
Voltage / Frequency	230 V~/ 50 Hz	230 V~/ 50 Hz	230 V~/ 50 Hz	220-230 V~/ 50 Hz	230 V~/ 50 Hz
Power	1,100 W	950 W	1,000 W	1,000 W	1,000 W
Deposit capacity	1.5 litres	1.2 litres	1.2 litres	1.2 litres	0.2 litres
Pods hard and soft	●	●	●		
Easy serving system	●				
Steamer	●	●	●	●	●
Coffee and hot water outlet switch	●	●	●		
Hot water	●	●	●	●	
On/off switch	●	●	●	●	●
On/Off pilot lights	1+OK	1+OK	1+OK	1+OK	1
Max. pressure	15 bar	15 bar	15 bar	15 bar	5 bar
Deposit with automatic valve	●	●	●	●	
Drip tray	●	●	●	dismountable	dismountable
Water level indicator				●	
Removable deposit	folding	folding	folding	●	
Cable storage	●		●		●
Gross weight case	4.6 Kg.	3.22 Kg	3.1 Kg.	6.15 Kg.	2.55 Kg.
Case size (mm.) (H x W x D)	395 x 290 x 314	312 x 332 x 286	360 x 255 x 260	343 x 274 x 282	272 x 248 x 264
Gross weight package	9.8 Kg.	8.7 Kg	7.5 Kg.	13.2 Kg.	11.47 Kg.
Net weight package	9.2 Kg.	7.8 Kg	7 Kg.	11.2 Kg.	10.18 Kg.
Packaging size (mm.) (H x W x D)	325 x 590 x 410	582 x 344 x 320	380 x 515 x 280	380 x 580 x 310	290 x 540 x 510
Nº units shipped	2	2	2	2	4
Saleable units per layer	16		12	8	16
Nº items per pallet	96		60	48	96
Pallet size (mm.) (H x W x D)	1,840 x 1,200 x 800		2,040 x 1,200 x 800	1,940 x 1,200 x 800	1,955 x 1,200 x 800

drip feed' coffee makers

PRACTICA RANGE CG-314	PRACTICA RANGE CG-306	CG-312	
961010564	961010608	961010555	Code
8412788018917	8412788019136	8412788018412	EAN-13
230 V~/ 50 Hz	230 V~/ 50 Hz	220 V~/ 50 Hz	Voltage / Frequency
1,000 W	750 W	900 W	Power
1.45 litres	0.8 litres	1.8 litres	Tank capacity
●	●	●	On-Off switch
●	●	●	On pilot light
dismountable	dismountable		Pivoting filter holder
●	●	●	Anti-drip valve
●	●	●	Permanent filter
●	●	●	Water level view window
			Translucent tank
	●	●	Cord storage
●	●	●	Hotplate
glass	glass	glass	Jug type
			Delayed start
			Display
			Aroma Control
1 m.	1 m.	1 m.	Cable length
	1,2 Kg.	2.1 Kg.	Gross weight case
	280 x 152 x 250	380 x 318 x 226	Case size (mm.) (H x W x D)
13.28 Kg.	6.4 Kg.	9.9 Kg.	Gross weight package
11.48 Kg.	4.4 Kg.	8.4 Kg.	Net weight package
379 x 409 x 619	300 x 318 x 514	410 x 480 x 660	Packaging size (mm.) (H x W x D)
4	4	4	Nº units shipped
12	6	12	Saleable units per layer
60	36	48	Nº items per pallet
1,995 x 1,200 x 800	1,800 x 1,200 x 800	1,607 x 1,200 x 800	Pallet size (mm.) (H x W x D)

coffee **grinders'**

	MASTER CHEF RANGE ML-2006 X	PRACTICA RANGE ML-300
Code	976010205	976010189
EAN-13	8412788020590	8412788018832
Voltage / Frequency	220-240 V~/ 50 Hz	230 V~/ 50 Hz
Power	130 W	160 W
Capacity	70 gr.	65 gr.
Select the number of cups	0-12	
Grinding programmes	3	
Grinding system	s. steel blade	s. steel blade
Start button	●	●
Switch to select number of cups	●	
Start switch and automatic stop	●	
Measuring spoon	●	
Protection against overheating	●	
Lid safety system	●	
Cable storage	●	●
Gross weight case	1.01 Kg.	0.742 Kg.
Case size (mm.) (H x W x D)	125 x 230 x 125	166 x 112 x 90
Gross weight package	4.4 Kg.	3.8 Kg.
Net weight package	3.5 Kg.	2.8 Kg.
Packaging size (mm.) (H x W x D)	427 x 290 x 290	190 x 200 x 250
Nº units shipped	4	4
Saleable units per layer	12	52
Nº items per pallet	72	420
Pallet size (mm.) (H x W x D)	2,340 x 1,200 x 800	1,620 x 1,200 x 800

electric' coffee maker

	CEI-600
Code	961010573
EAN-13	8412788019099
Voltage	230 V~
Power	365 W
Container capacity	0.3 litres
On/Off thermostat	●
Thermal safety device	●
On-Off-switch	●
On pilot light	●
Hinged cover	folding
Cable storage	●
Cable length	0.85 m.
Gross weight case	1.388 Kg.
Case size (mm.) (H x W x D)	266 x 170 x 170
Gross weight package	6.5 Kg.
Net weight package	4.5 Kg.
Packaging size (mm.) (H x W x D)	290 x 355 x 355
Nº units shipped	4
Saleable units per layer	8
Nº items per pallet	40
Pallet size (mm.) (H x W x D)	1.450 x 1.200 x 800

milk **whisk'**

	LE-120
Code	976010081
EAN-13	8412788013264
Works with two batteries *	1.5 V. c/u (AA/LR6)
On/Off button	●
Frother shaft and spiral	18/10 stainless steel
Knock-resistant case	ABS
Gross weight case	0.125 Kg.
Case size (mm.) (H x W x D)	43 x 83 x 263
Gross weight package	1.25 Kg.
Net weight package	0.75 Kg.
Packaging size (mm.) (H x W x D)	150 x 280 x 180
Nº units shipped	6
Saleable units per layer	108
Nº items per pallet	864
Pallet size (mm.) (H x W x D)	1,495 x 1,200 x 800

* Supplied with the appliance

H: Height, W: Width, D: Depth

	MO-20 DGM	MO-20 DGB	MO-20 GM	MO-20 M	MO-20 GB	MO-20 B
Code	956010065	956010056	956010029	956010010	956010047	956010038
EAN-13	8412788026554	8412788026547	8412788018665	8412788018658	8412788018689	8412788018672
Voltage / Frequency	230 V~/ 50 Hz	230 V~/ 50 Hz	230 V~/ 50 Hz	230 V~/ 50 Hz	230 V~/ 50 Hz	230 V~/ 50 Hz
Power	800 W	800 W	800 W	800 W	800 W	800 W
Grill power	1,000 W	1,000 W	1,000 W		1,000 W	
Capacity	20 litres	20 litres	20 litres	20 litres	20 litres	20 litres
Time selector	digital 60 min.	digital 60 min.	manual 30 min.	manual 30 min.	manual 30 min.	manual 30 min.
Microwave power selector	digital	digital	mechanical	mechanical	mechanical	mechanical
LCD Display	●	●				
Grill function	●	●	●		●	
Arpox grill support	●	●	●		●	
Microwave-grill function	●	●	●		●	
Defrosting function	●	●	●	●	●	●
Door open pushbutton	●	●	●	●	●	●
Door opening type	lateral	lateral	lateral	lateral	lateral	lateral
Power levels	8	8	8	6	8	6
Metallic finish	●		●	●		
Removable rotating plate	●	●	●	●	●	●
Interior light	●	●	●	●	●	●
Gross weight package	12.5 Kg.	11.9 Kg.	12.5 Kg.	11.9 Kg.	12.5 Kg.	11.9 Kg.
Net weight package	11.5 Kg.	10.8 Kg.	11.5 Kg.	11.8 Kg.	11.5 Kg.	11.8 Kg.
Packaging size (mm.) (H x W x D)	295 x 500 x 380	295 x 500 x 380	295 x 500 x 380	295 x 500 x 380	295 x 500 x 380	295 x 500 x 380
Nº units shipped	1	1	1	1	1	1
Saleable units per layer	4	4	4	4	4	4
Nº items per pallet	24	24	24	24	24	24
Pallet size (mm.) (H x W x D)	2,000 x 1,200 x 800	2,000 x 1,200 x 800	2,000 x 1,200 x 800	2,000 x 1,200 x 800	2,000 x 1,200 x 800	2,000 x 1,200 x 800

induction' hob

	IP-200 X
Code	962010241
EAN-13	8412788020217
Voltage / Frequency	230 V~/ 50 Hz
Power	2.000 W
Touch control panel	●
Power levels	6
1 to 99 minute timer	●
Childproof safety lock	●
Recipient detection system	●
Automatic safety shut-off	●
Nº units shipped	1
Saleable units per layer	16
Nº items per pallet	64
Pallet size (mm.) (H x W x D)	1,420 x 1,200 x 800

grill & multigrill

	GRILL GR-1850	MULTIGRILL MG-300
Code	962010214	962010287
EAN-13	8412788017941	8412788027179
Voltage / Frequency	230 V~/ 50 Hz	230 V~/ 50 Hz
Power	1,800 W	920 W
Temperature regulating thermostat	5 positions	●
Mechanical timer		●
Non-stick plates	●	●
Plate dimensions	300 x 215 mm.	pizza 290 mm. Ø
On/off pilot light	●	●
Gross weight case	4 Kg.	4.6 Kg.
Case size (mm.) (H x W x D)	340 x 175 x 410	402 x 158 x 372
Gross weight package	8.7 Kg.	10 Kg.
Net weight package	7.6 Kg.	8.4 Kg.
Packaging size (mm.) (H x W x D)	360 x 415 x 380	420 x 380 x 330
Nº units shipped	2	2
Saleable units per layer	12	
Nº items per pallet	60	
Pallet size (mm.) (H x W x D)	1,885 x 1,200 x 800	

bread' machine

	PAN-850
Code	976010278
EAN-13	8412788027346
Voltage / Frequency	230 V~/ 50 Hz
Power	1,300 W
Programmable timer	13 hours
Bar size	1.5 LB / 2.0 LB / 3.0 LB
Removable lid with rod	●
Large LED Display	●
Kneading bars	2
No. of programmes	11
Crust colour regulator	●
Bread mould with non-stick coating	removable
Extra ingredient indicator	●
Measuring spoon and cup	●
Gross weight case	
Case size (mm.) (H x W x D)	475 x 325 x 385 mm.
Gross weight package	15 Kg.
Net weight package	11.2 Kg.
Packaging size (mm.) (H x W x D)	638 x 475 x 385 mm.
Nº units shipped	2

sandwichmakers

	SW-400	SW-200
Code	962010063	962010054
EAN-13	8412788009915	8412788009908
Voltage / Frequency	230 V~/ 50 Hz	230 V~/ 50 Hz
Power	1,300 W	700 W
Capacity	4 sandwiches	2 sandwiches
On/Off pilot light	●	●
Non-stick plates	●	●
Cutting and sealing	●	●
Cable storage	●	●
Cool to the touch: handles and exterior	●	●
Gross weight case	3.55 Kg.	2.35 Kg.
Case size (mm.) (H x W x D)	150 x 370 x 326	130 x 255 x 265
Gross weight package	13.8 Kg.	11.9 Kg.
Net weight package	12.6 Kg.	8.5 Kg.
Packaging size (mm.) (H x W x D)	400 x 345 x 630	280 x 540 x 280
Nº units shipped	4	4
Saleable units per layer	16	24
Nº items per pallet	80	168
Pallet size (mm.) (H x W x D)	1,835 x 1,200 x 800	1,770 x 1,200 x 800

table-top' barbecues

	BBC-850	BBC-842	BBC-845	BBC-846	BBC-820
Code	962010312	962010134	962010189	962010170	962010232
EAN-13	8412788027445	8412788011994	8412788016654	8412788013585	8412788020125
Voltage / Frequency	230 V~/ 50-60 Hz	230 V~/ 50-60 Hz	230 V~/ 50-60 Hz	230 V~/ 50 Hz	230 V~/ 50 Hz
Power	2,500 W	2,000 W	2,000 W	2,000 W	1,800 W
Temperature thermostat	5 positions	5 positions	5 positions	5 positions	5 positions
LED temperature pilot light	●				
Number of plates	1	2	2	1	1
Non-stick plates	●	●	●	●	●
Roasting zone on plate	1	1	1	1	1
Plate dimensions	528 x 293 mm.	390 x 295 mm.	330 x 250 mm.	520 x 270 mm.	356 x 254 mm.
Thermostat pilot light	●	●	●	●	●
Fat drip tray		collapsible	dismountable	dismountable	dismountable
Gross weight case	6 Kg.	5.5 Kg.	3.5 Kg.	3.5 Kg.	2.6 Kg.
Case size (mm.) (H x W x D)	732 x 382 x 502	370 x 146 x 564	332 x 118 x 468	334 x 106 x 634	330 x 292 x 514
Gross weight package	14.8 Kg.	12.1 Kg.	7.5 Kg.	8 Kg.	5.9 Kg.
Net weight package	13.8 Kg.	9.4 Kg.	7 Kg.	6 Kg.	5.2 Kg.
Packaging size (mm.) (H x W x D)	720 x 490 x 175	400 x 580 x 315	355 x 485 x 265	360 x 650 x 240	330 x 292 x 514
Nº units shipped	2	2	2	2	2
Saleable units per layer		8	12	10	6
Nº items per pallet		48	60	50	30
Pallet size (mm.) (H x W x D)		1,970 x 1,200 x 800	1,930 x 1,200 x 800	1,945 x 1,200 x 800	1,700 x 1,200 x 800

H: Height, W: Width, D: Depth

	F-306	F-206	F-603	F-602	F-110
Code	965010146	965010128	965010155	965010164	965010137
EAN-13	8412788018528	8412788017828	8412788026493	8412788026509	8412788018511
Voltage / Frequency	230 V~/ 50 Hz	230 V~/ 50 Hz	230 V~/ 50 Hz	230 V~/ 50 Hz	230 V~/ 50 Hz
Power	2,100 W	1,680 W	2,200 W	2,000 W	1,000 W
On/Off switch with pilot light	●				
On/Off pilot light	●		●	●	●
Capacity	3 litres	2 litres	3.5 litres	2.5 litres	1 litre
Max./min. oil capacity		2 / 1 litres	3.5 / 3 litres	2.5 / 2 litres	
Chip capacity		0.8 Kg.	1,4 Kg.	1 Kg.	
Amount of chips/oil					
Removable control module	●		●	●	
Tank material	s. steel	s. steel	acero esmaltado	acero esmaltado	s. steel
Basket material	s. steel	s. steel	acero	acero	s. steel
Adjustable thermostat	in 160 to 190ºC	in 160 to 190ºC	190ºC	190ºC	in 160 to 190ºC
Type of heating element	inmersed	inmersed	sumergida	sumergida	hidden
Thermostat On pilot light		●	●	●	
On-Off switch		●	●	●	
Thermal safety device		●	●	●	
Safety micro-switch	●	●	●	●	●
Fries with lid closed			●	●	
Button for automatic opening			●	●	
Lid with safety lock					
It can be completely dismantled		●	●	●	
Removable lid	●		●	●	●
Glass window	●		●	●	
Anti-odour filter	●		●	●	
Dishwasher-safe	●		●	●	●
Removable tank	●		●	●	
Removable / fold-away handle		●	●	●	
Cable storage	integrated	integrated	●	●	
Cool-touch walls	●		●	●	●
Gross weight case	3.5 Kg.	2.65 Kg.	4.7 Kg.	4.3 Kg.	1.6 Kg.
Case size (mm.) (H x W x D)	243 x 372 x 265	243 x 265 x 290	270 x 300 x 360	233 x 300 x 360	218 x 240 x 210
Gross weight package	8.0 Kg.	6 Kg.	10.5 Kg.	9.6 Kg.	3.8 Kg.
Net weight package	7.2 Kg.	5.2 Kg.	9.4 Kg.	8.6 Kg.	3.2 Kg.
Packaging size (mm.) (H x W x D)	520 x 395 x 285	520 x 313 x 285	574 x 320 x 383	500 x 320 x 383	445 x 260 x 265
Nº units shipped	2	2	2	2	2
Saleable units per layer	12	16	6	6	12
Nº items per pallet	36	84	18	18	96
Pallet size (mm.) (H x W x D)	1,670 x 1,200 x 800	2,170 x 1,200 x 800	1,560 x 1,200 x 800	1,560 x 1,200 x 800	2,050 x 1,200 x 800

supermix hand' blenders

	SP-251 PLUS	SP-251
Code	964010185	964010176
EAN-13	8412788012564	8412788012557
Voltage / Frequency	230 V~/ 50 Hz	230 V~/ 50 Hz
Power	210 W	210 W
Num. speeds	4 + turbo	4 + turbo
Selector switch	●	●
Bowl with support	●	
Kneader accessories	●	●
Mixer accessories	●	●
Mixer rod	●	●
Cup	●	●
Wall support	●	●
Gross weight case	2.5 Kg.	1.5 Kg.
Case size (mm.) (H x W x D)	265 x 300 x 210	190 x 220 x 210
Gross weight package	7.3 Kg.	7.6 Kg.
Net weight package	5 Kg.	5.9 Kg.
Packaging size (mm.) (H x W x D)	285 x 310 x 440	400 x 405 x 240
Nº units shipped	2	4
Saleable units per layer	12	24
Nº items per pallet	72	144
Pallet size (mm.) (H x W x D)	1,890 x 1,200 x 800	1,745 x 1,200 x 800

	B-1200 MA	B-1100 M	B-625 MA	B-620 M	B-505 MA
Code	964010372	964010363	964010354	96401010416	964010292
EAN-13	8412788020279	8412788020262	8412788020255	8412788026592	8412788018481
Voltage	230-240 V~	230-240 V~	230-240 V~	230-240 V~	230-240 V~
Frequency	50-60 Hz	50-60 Hz	50-60 Hz	50-60 Hz	50-60 Hz
Power	18,000 r.p.m	18,000 r.p.m.	600 W	600 W	500 W
Battery	NiMH	NiMH			
No. speeds	2	2	12	12	2
Electronic speed regulator			●	●	
On-Off-switch	●	●	●	●	●
Blender shaft	acero inox.	acero inox.	acero inox.	acero inox.	acero inox.
'Efficient' blender base	●	●	●	●	●
Four blades	●	●	●	●	●
Turbo function			●	●	●
Ergonomic design	●	●	●	●	●
Soft-touch finish	●	●	●	●	
Accessories — Measuring glass	●	●	●	●	●
Accessories — Airtight lid	●	●	●	●	●
Accessories — Wall support	●		●	●	●
Accessories — Whisk attachment	●		●		●
Accessories — Mincer-jug	●		●		●
Accessories — Multipurpose lid for mincer-jug	●		●		●
Accessories — Battery charger	●	●			
Gross weight case	2.23 Kg.	1.78 Kg.	2.11 Kg.	1.2 Kg.	1.6 Kg.
Case size (mm.) (H x W x D)	220 x 225 x 165	145 x 215 x 138	228 x 200 x 265	245 x 105 x 185	235 x 240 x 220
Gross weight package	9.6 Kg.	7.72 Kg.	9.5 Kg.	5.3 Kg.	12.6 Kg.
Net weight package	8.92 Kg.	7.12 Kg.	8.45 Kg.	4.8 Kg.	8.85 Kg.
Packaging size (mm.) (H x W x D)	238 x 348 x 486	233 x 308 x 374	248 x 425 x 540	265 x 225 x 386	253 x 431 x 543
Nº units shipped	4	4	4	4	4
Saleable units per layer	5	6	6	10	4
Nº items per pallet	35	42	24	60	24
Pallet size (mm.) (H x W x D)	1,680 x 1,200 x 800	1,890 x 1,200 x 800	1,000 x 1,200 x 800	2,700 x 1,200 x 800	1,860 x 1,200 x 800

jug' blenders

	MASTER CHEF RANGE BV-2006 NX	VITALIA RANGE BV-480	PRACTICA RANGE BV-460	BV-450
Code	964010390	964010327	964010336	964010256
EAN-13	8412788026479	8412788018719	8412788018726	8412788017767
Voltage / Frequency	220-240 V~/ 50 Hz	230 V~/ 50-60 Hz	230 V~/ 50-60 Hz	220-240 V~/ 50 Hz
Power	1,200 W	450 W	450 W	300-350 W
Finish	s. steel	s. steel look		
No. speeds	3	3	3	4
On/Off switch		●	●	
Manual blending position	●	●	●	●
Blade	4 cutting edges			4 cutting edges
Blade material	s. steel	s. steel	s. steel	s. steel
Blade for crushing ice	●	●	●	
Jug	glass	glass	plastic	plastic
Maximum jug capacity	1.8 litres	1.5 litres	1.5 litres	
'Extractor' filter			●	
Blender-cap with graduated dispenser	●			●
Blender-cap		●	●	●
Gross weight case	5 Kg.	3.5 Kg.	2.7 Kg.	2.65 Kg.
Case size (mm.) (H x W x D)	447 x 213 x 213	315 x 285 x 185	315 x 185 x 285	225 x 225 x 450
Gross weight package	10.5 Kg.	15.1 Kg.	11.9 Kg.	10.9 Kg.
Net weight package	10 Kg.	14.3 Kg.	11.1 Kg.	7.85 Kg.
Packaging size (mm.) (H x W x D)	467 x 228 x 441	335 x 590 x 380	335 x 590 x 380	480 x 470 x 475
Nº units shipped	2	4	4	4
Saleable units per layer	4	16	16	8
Nº items per pallet	28	80	80	32
Pallet size (mm.) (H x W x D)	2,820 x 1,200 x 800	1,830 x 1,200 x 800	1,830 x 1,200 x 800	2,010 x 1,200 x 800

H: Height, W: Width, D: Depth

hand' blenders

B-500 M	B-450 P	
964010407	964010265	Code
8412788026561	8412788018450	EAN-13
230-240 V~	230-240 V~	Voltage
50-60 Hz	50-60 Hz	Frequency
500 W	400 W	Power
		Battery
2	2	No. speeds
		Electronic speed regulator
●	●	On-Off-switch
acero inox.	plástico	Blender shaft
●		'Efficient' blender base
●	●	Four blades
●	●	Turbo function
●	●	Ergonomic design
		Soft-touch finish
●	●	Measuring glass
●	●	Airtight lid
●		Wall support
		Whisk attachment
		Mincer-jug
		Multipurpose lid for mincer-jug
		Battery charger
0,98 Kg.	0,92 Kg.	Gross weight case
235 x 185 x 105	235 x 185 x 105	Case size (mm.) (H x W x D)
7,6 Kg.	7,34 Kg.	Gross weight package
5,84 Kg.	5,56 Kg.	Net weight package
240 x 320 x 375	240 x 320 x 375	Packaging size (mm.) (H x W x D)
6	6	Nº units shipped
6		Saleable units per layer
42		Nº items per pallet
1,820 x 1,200 x 800		Pallet size (mm.) (H x W x D)

Note: "Accessories" label spans the rows from Measuring glass through Battery charger.

varimix' kitchen machine

	RT-150
Code	964010345
EAN-13	8412788019228
Voltage / Frequency	230 V~/ 50 Hz
Power	150 W
Speed (idle motion)	4,200 rpm
Non-slip base	●
Mincer accessories	●
Grater accessories	●
Start pushbutton	●
Stainless steel blade	●
Cable storage	●
Dishwasher-safe accessories	●
Cable length	1 m.
Gross weight case	840 / 960 gr.
Case size (mm.) (H x W x D)	190 x 125 x 390
Gross weight package	6 Kg.
Net weight package	5 Kg.
Packaging size (mm.) (H x W x D)	492 x 210 x 404
Nº units shipped	4
Saleable units per layer	10
Nº items per pallet	30
Pallet size (mm.) (H x W x D)	1,470 x 1,200 x 800

steam' cooking

	CV-906 D	CV-900 M
Code	962010205	962010198
EAN-13	8412788017781	8412788017774
Voltage / Frequency	220-240 V~/ 50 Hz	220-240 V~/ 50 Hz
Power	825 W	825 W
LCD display	●	
Number of containers	3	2
Special container for rice	●	●
Container for eggs	●	●
Basket capacity	9.7 litres	6.3 litres
Pre-programmed functions	6	
Electronic programmer	●	
Keeps food warm	20 min.	
Automatic stop	●	●
Timer	99 min.	60 min.
Easy storage	●	●
Gross weight case	2.875 Kg.	1.75 Kg.
Case size (mm.) (H x W x D)	295 x 285 x 285	282 x 285 x 285
Gross weight package	11.5 Kg.	11.5 Kg.
Net weight package	10.4 Kg.	10.4 Kg.
Packaging size (mm.) (H x W x D)	630 x 297 x 588	555 x 297 x 583
Nº units shipped	2	2
Saleable units per layer	16	16
Nº items per pallet	96	112
Pallet size (mm.) (H x W x D)	2,040 x 1,200 x 800	1,890 x 1,200 x 800

kitchen' scales

	MASTER CHEF RANGE BC-300 X	VITALIA RANGE BC-200	VITALIA RANGE BC-100
Code	976010107	976010116	976010125
EAN-13	8412788016784	8412788016791	8412788016807
Type of battery	3 V	9 V	9 V
Num. batteries	1	1	1
Maximum load	5 Kg.	5 Kg.	5 Kg.
Measurement scale	1 gr.	2 gr.	2 gr.
Display	LCD	LCD	LCD
Reservoir weight (tare) corrector	●	●	●
Room temperature sensor		●	
Bowl		●	●
Battery low indicator	●	●	●
Gross weight case	0.545 Kg.	0.8 Kg.	0.67 Kg.
Case size (mm.) (H x W x D)	39 x 129 x 186	70 x 200 x 230	108 x 223 x 223
Gross weight package	2.8 Kg.	4.3 Kg.	3.8 Kg.
Net weight package	2.18 Kg.	3.6 Kg.	3 Kg.
Packaging size (mm.) (H x W x D)	235 x 180 x 275	235 x 455 x 270	127 x 220 x 223
Nº units shipped	4	4	4
Saleable units per layer	80	16	24
Nº items per pallet	640	128	192
Pallet size (mm.) (H x W x D)	1,920 x 1,200 x 800	1,705 x 1,200 x 800	1,920 x 1,200 x 800

vacuuming packing' machine

	MV-100
Code	971010082
EAN-13	8412788017798
Voltage / Frequency	230 V~/ 50 Hz
Power	300 W
Maximum seal width	30 cm.
Manual empty/stop option	●
Suction pilot light	●
Seal pilot light	●
Pump	70 W
Pump capacity	12 litres/min.
Cable length	125 cm.
Gross weight case	4.1 Kg.
Case size (mm.) (H x W x D)	300 x 155 x 445
Gross weight package	7 Kg.
Net weight package	3 Kg.
Packaging size (mm.) (H x W x D)	345 x 455 x 315
Nº units shipped	2
Saleable units per layer	8
Nº items per pallet	56
Pallet size (mm.) (H x W x D)	1,725 x 1,200 x 800

vacuuming packing' machine accessory

		RV-100	RV-50	RV-30	RV-6
Code		986010981	986010990	986010954	986010856
EAN-13		8412788026431	8412788026448	8412788026491	8412788018238
Contents:	Bags	50 (20 cm. x 40 cm.) 50 (30 cm. x 40 cm.)	50 (30 cm. x 40 cm.)	50 (30 cm. x 20 cm.)	
	Rolls				2 (30 cm. x 6 m.)
Gross weight package		10.75 Kg.	6.53 Kg.	2.25 Kg.	1.5 Kg.
Net weight package		10 Kg.	6 Kg.	2 Kg.	1,2 Kg.
Packaging size (mm.) (H x W x D)		145 x 530 x 410	145 x 410 x 310	95 x 320 x 420	260 x 200 x 310
Nº units shipped		6	6	6	6

H: Height, W: Width, D: Depth

meat slicers

	CF-200	CF-150	CF-172
Code	971010055	971010064	971010073
EAN-13	8412788013868	8412788014506	8412788015343
Voltage / Frequency	230 V~/ 50 Hz	230 V~/ 50 Hz	230 V~/ 50 Hz
Power	130 W	150 W	100 W
Thickness regulator	0 to 15 mm.	0 to 15 mm.	0 to 15 mm.
Stainless steel blade	190 mm. Ø	Ø 190 mm.	Ø 170 mm.
Foldaway			●
Food support	●	●	●
Safety button	●	●	●
On/Off switch	●	●	●
Gross weight case	4.2 Kg.	4.4 Kg.	2.2 Kg.
Case size (mm.) (H x W x D)	280 x 278 x 436	310 x 283 x 395	200 x 155,5 x 330
Gross weight package	9.8 Kg.	10.6 Kg.	5.84 Kg.
Net weight package	8.2 Kg.	9 Kg.	4.4 Kg.
Packaging size (mm.) (H x W x D)	300 x 450 x 295	320 x 570 x 405	220 x 330 x 350
Nº units shipped	1	2	2
Saleable units per layer	6	8	12
Nº items per pallet	36	48	108
Pallet size (mm.) (H x W x D)	1,980 x 1,200 x 800	2,055 x 1,200 x 800	1,765 x 1,200 x 800

knife sharpener

	MASTER CHEF RANGE AFC-2006 X
Code	976010223
EAN-13	8412788020620
Voltage / Frequency	230 V~/ 50 Hz
Power	40 W
Body	s. steel
Suitable for	all except sierra
Sharpening wheels	1
Ceramic sharpening rods	20
Cable length	1 m.
Wheel speed	330 rpm ±20%
Gross weight of case	1 Kg.
Case size (mm.) (H x W x D)	90 x 194 x 254
Gross weight package	4.4 Kg.
Net weight package	2.92 Kg.
Packaging size (mm.) (H x W x D)	262 x 188 x 401
Nº units shipped	4

electric' can opener

	AL-350
Code	976010072
EAN-13	8412788013189
Voltage / Frequency	230 V~/ 50 Hz
Power	30 W
On/Off button	●
Removable cutter	●
Magnet for tin lid	●
Automatic stop	●
Gross weight case	0.55 Kg.
Case size (mm.) (H x W x D)	86 x 86 x 240
Gross weight package	4 Kg.
Net weight package	3.3 Kg.
Packaging size (mm.) (H x W x D)	260 x 265 x 190
Nº units shipped	6
Saleable units per layer	96
Nº items per pallet	576
Pallet size (mm.) (H x W x D)	1,485 x 1,200 x 800

electric' knife

	CU-180
Code	971010046
EAN-13	8412788012281
Voltage / Frequency	230-240 V~/ 50 Hz
Power	160-180 W
Cutting positions	5
Safety system	double
Removable blades	2 sets
Gross weight case	0.85 Kg.
Case size (mm.) (H x W x D)	140 x 85 x 290
Gross weight package	4.3 Kg.
Net weight package	3.4 Kg.
Packaging size (mm.) (H x W x D)	170 x 300 x 380
Nº units shipped	4
Saleable units per layer	56
Nº items per pallet	280
Pallet size (mm.) (H x W x D)	1,685 x 1,200 x 800

wine' cellars

	VT-12	VT-6
Code	976010250	976010241
EAN-13	8412788027223	8412788027216
Voltage / Frequency	220-240 V~/ 50-60 Hz	220-240 V~/ 50-60 Hz
Power	80 W	70 W
Consumption	0.8kW.h/24 h (15º)	0.5kW.h/24 h (15º)
Capacity	12 bottles - 33 litres	6 bottles - 16 litres
Cooling system	thermo-electric	thermo-electric
Interior light	●	●
Transparent double-glazed glass door	●	●
Number of removable trays	5	2
LCD Display	●	●
Temperature range	8 ℃ to 18 ℃	10 ℃ to 18 ℃
Exterior temperature	10 -32 º C	10 -32 º C
Electronic digital temperature control	●	●
No vibrations - SV	●	●
Cable length	171 mm.	171 mm.
Decibels		
Electronic digital temperature control	●	●
Adjustable feet	●	●
Gross weight case	14.1 Kg.	10.65 Kg.
Case size (mm.) (H x W x D)	420 x 297 x 560	660 x 300 x 553
Gross weight package	14.1 Kg.	10.65 Kg.
Net weight package	12.7 Kg.	9.5 Kg.
Packaging size (mm.) (H x W x D)	420 x 297 x 560	660 x 300 x 553
Nº units shipped	1	1
Saleable units per layer		
Nº items per pallet		
Pallet size (mm.) (H x W x D)		

76’ Kitchen

H: Height, W: Width, D: Depth

beer' dispenser

	PRES-05
Code	976010287
EAN-13	8412788027353
Voltage / Frequency	220-240 V~/ 50 Hz
Power	70 W
Lid material	plastic
Weight without barrel	7.8 Kg.
Cooling system	thermo-electric
Temperature range	3-12º C
Type of barrel	5 litres with and without gas
Electronic temperature selector	●
Adaptors for different barrels	●
Blue LED	●
Time needed to cool from 25º to 6ºC	8 hours
Barrel conservation	about 28 days
Interior light	●
Consumption	1,2 Kw / 24 h (15ºC)
Accessories included	Cleaning bottle and cleaning accessory	●
	Adaptor for pressurised barrel	●
	Adaptor for standard barrel	●
Gross weight case	
Case size (mm.) (H x W x D)	
Gross weight package	10 Kg.
Net weight package	
Packaging size (mm.) (H x W x D)	325 x 445 x 525
Nº units shipped	1
Saleable units per layer	
Nº items per pallet	
Pallet size (mm.) (H x W x D)	

beer' dispenser accessory

	REG-CO$_2$
Code	986011025
EAN-13	8412788027452
Model	PRES-05
Nº units shipped	1

express coffee makers

	CR-22	CR-20	CR-15
Code	961010715	961010706	961010699
EAN-13	8412788027698	8412788027681	8412788027674
Voltage / Frequency	220-240 V~/ 50 Hz	220-240 V~/ 50 Hz	220-240 V~/ 50 Hz
Power	1,250 W	1,250 W	1,250 W
Deposit capacity	1.5 litres	1.5 litres	1.2 litres
Pods hard and soft	■		
Thermo-Block System	■	■	
Steamer	■	■	■
Hot water	■	■	
On/Off switch	■	■	■
On/Off pilot lights	■	■	■
Max. pressure	15 bar	15 bar	15 bar
Deposit with automatic valve	■	■	■
Drip tray	dismountable	dismountable	dismountable
Water level indicator	■	■	■
Removable deposit	■	■	■
Measuring spoon	7.8 gr.	7.8 gr.	9 gr.
Hidden accessory drawer	■	■	
Appliance weight	4.2 Kg.	4.2 Kg.	4 Kg.
Appliance measurements (mm.) (H x W x D)	303 x 290 x 259	303 x 290 x 259	250 x 250 x 280
Gross weight case	5 Kg.	5 Kg.	4 Kg.
Case size (mm.) (H x W x D)	367 x 328 x 298	367 x 328 x 298	324 x 282 x 302
Gross weight package	10.6 Kg.	10.6 Kg.	9.8 Kg.
Net weight package	8.4 Kg.	8.4 Kg.	8.4 Kg.
Packaging size (mm.) (H x W x D)	387 x 615 x 342	387 x 615 x 342	340 x 579 x 319
Nº units shipped	2	2	2
Saleable units per layer	6	8	8
Nº items per pallet	30	40	40
Pallet size (mm.) (H x W x D)	1,600 x 1,200 x 800	1,600 x 1,200 x 800	1,600 x 1,200 x 800

electric kettle

	TK-500
Code	961010760
EAN-13	8412788028879
Voltage / Frequency	220-240 V~/ 50 Hz
Power	1,850-2,200 W
Material	stainless steel
Deposit capacity	1.7 litres
Operating thermostat	■
Thermal safety device	■
Automatic Off	■
Electronic temperature control	■
Heating temperature range	40 ℃ - 99 ℃
Maintain temperature function	■
Display LED	■
On/off switch	■
ON pilot light	display
Water level indicator	■
Hinged lid	■
Safety lid	■
Lid closure	automatic
Hidden element	■
Cable storage	■
Multidirectional disconnection base	360°
Gross weight case	4 Kg.
Case size (mm.) (H x W x D)	220 x 265 x 190
Gross weight package	3.56 Kg.
Net weight package	3.1 Kg.
Packaging size (mm.) (H x W x D)	397 x 290 x 237
Nº units shipped	2

kitchen scales

	BC-350 X	BC-250
Code	976010312	976010394
EAN-13	8412788028176	8412788028640
Finish	stainless steel	glass
Units	gr / lb: oz	gr / lb: oz
Maximum load	5 Kg.	5 Kg.
Measurement scale	1 gr. / 0.1 fl	1 g.r / 0.1 fl
On/Off switch	■	■
Automatic Off	■	
Electronic control	■	■
Función Tare	■	■
Battery low indicator	■	■
Automatic Off	■	■
Excess weight indicador	■	■
Gross weight case	0.59 Kg.	0.72 Kg.
Case size (mm.) (H x W x D)	43 x 185 x 270	47 x 250 x 205
Gross weight package	2.61 Kg.	3.8 Kg.
Net weight package	2.3 Kg.	2.28 Kg.
Packaging size (mm.) (H x W x D)	183 x 213 x 288	275 x 215 x 215
Nº units shipped	4	4

H: Height,   W: Width,   D: Depth

mini-ovens

	MH-26 D	MH-26
Code	956010136	956010145
EAN-13	8412788028855	8412788028862
Power	1,500 W	1,500 W
Voltage / Frecuencia	220-240 V~/ 50 Hz	220-240 V~/ 50 Hz
Capacity	26 litres	26 litres
For plates measuring up to	36 cm.	36 cm.
Cooking mode	natural convection + multifunction	natural convection
Program	digital	mechanical
Timer	90 min.	60 min.
Interior	antiadherent	antiadherent
Grill	■	■
Enamelled tray	1	1
Grill	1	1
Tray tong	1	1
Rotisserie accessory	1	
Toast Function	■	
Pizza Function	■	
Maintain temperature function	■	
Defrosting Function	■	■
Gross weight package	9 Kg.	9.2 Kg.
Net weight package	6.6 Kg.	6.8 Kg.
Packaging size (mm.) (H x W x D)	390 x 560 x 410	395 x 550 x 388
Nº units shipped	1	1

microwave ovens

	MO-25 DGM	MO-25 DGB	MO-25 GM	MO-25 GB	MO-25 M	MO-25 B
Code	956010074	956010083	956010118	956010092	956010127	956010109
EAN-13	8412788028183	8412788028190	8412788028220	8412788028206	8412788028237	8412788028213
Voltage / Frequency	230 V~/ 50 Hz	230 V~/ 50 Hz	230 V~/ 50 Hz	230 V~/ 50 Hz	230 V~/ 50 Hz	230 V~/ 50 Hz
Power	800 W	800 W	800 W	800 W	800 W	800 W
Grill power	1,000 W	1,000 W	1,000 W	1,000 W		
Capacity	20 litres	20 litres	20 litres	20 litres	20 litres	20 litres
Time selector	digital	digital	mechanical	mechanical	mechanical	mechanical
LCD Display	■	■				
Grill function	■	■	■	■		
Defrosting function	■	■	■	■	■	■
Door open pushbutton	■	■	■	■	■	■
Door opening type	lateral	lateral	lateral	lateral	lateral	lateral
Metallic finish	■		■		■	
Removable rotating plate	■	■	■	■	■	■
Autocook function	■	■				
Power levels	5 + 3 combineds + grill	5 + 3 combineds + grill	5 + 3 combineds + grill	5 + 3 combineds + grill	5	5
Window material	glass + plastic	glass + plastic	glass + plastic	glass + plastic	glass + plastic	glass + plastic
Timer	95'	95'	35'	35'	35'	35'
Digital clock	■	■				
Interior light	■	■	■	■	■	■
Childproof safety lock	■	■				
Grill tray	■	■	■	■	■	■
Glass plate	■	■	■	■	■	■
Diameter plate	245 mm.	245 mm.	245 mm.	245 mm.	245 mm.	245 mm.
Gross weight package	11.5 Kg.	11.5 Kg.	11.5 Kg.	11.5 Kg.	11 Kg.	11 Kg.
Net weight package	10.5 Kg.	10.5 Kg.	10.5 Kg.	10.5 Kg.	10 Kg.	10 Kg.
Packaging size (mm.) (H x W x D)	291 x 488 x 360	291 x 488 x 360	291 x 488 x 360	291 x 488 x 360	291 x 488 x 360	291 x 488 x 360
Nº units shipped	1	1	1	1	1	1

H: Height, W: Width, D: Depth

hand blenders

	B-800 MAX
Code	964010452
EAN-13	8412788027629
Voltage / Frequency	230-240 V~/ 50-60 Hz
Power	800 W
No. speeds	variable
Electronic speed regulator	■
On/Off-switch	■
Blender shaft	stainless steel
Four blades	■
Turbo function	■
Ergonomic design	■
Soft-touch finish	■
Accessories Measuring glass	■
Airtight lid	■
Mincer-jug	■
Multipurpose lid for mincer-jug	■
Gross weight case	1,82 Kg.
Dimensions hand blenders (mm.) (H x W x D)	450 x 63 x 6
Dimensions chopper (mm.) (H x W x D)	128 x 122 x 165
Dimensions glass (mm.) (H x W x D)	200 x 125 x 125
Case size (mm.) (H x W x D)	228 x 200 x 265
Gross weight package	8.5 Kg.
Net weight package	7.5 Kg.
Packaging size (mm.) (H x W x D)	310 x 300 x 520
N° units shipped	4
Saleable units per layer	24
N° items per pallet	144
Pallet size (mm.) (H x W x D)	1,860 x 1,200 x 800

hand blenders ~ supermix

	SP-350 PLUS	SP-350
Code	964010425	964010434
EAN-13	8412788027186	8412788027193
Voltage / Frequency	220-240 V~/ 50 Hz	220-240 V~/ 50 Hz
Power	300 W	300 W
On/Off-switch	■	■
No. speeds	5	5
Turbo	■	■
Accessory ejector button	■	■
Selector switch	■	■
Bowl with support	■	
Automatically rotating bowl	■	
Capacity bowl	3 litres	
Non-slip base	■	■
Kneader accessories	■	■
Mixer accessories	■	■
Blender shaft	■	■
Cable length	1,200 mm.	1,200 mm.
Noise level	76 dB(A)	80 dB(A)
Repairable	partially	partially
Appliance weight	2.1 Kg.	1.33 Kg.
Case size (mm.) (H x W x D)	245 x 325 x 210	190 x 240 x 105
Gross weight package	6 Kg.	6.23 Kg.
Net weight package	5 Kg.	5.68 Kg.
Packaging size (mm.) (H x W x D)	500 x 225 x 210	440 x 340 x 265
N° units shipped	2	4

H: Height,   W: Width,   D: Depth

sowine

	SOWINE
Code	976010296
EAN-13	8412788027919
Power	87 W
Capacity	2 bottles
Refrigeration system	cell to peltier
Transparent glass door	■
Red wine temperature range	16 - 18 ℃
White wine temperature range	8 - 10 ℃
Outer temperature	10 - 32 ℃
Electronic control of temperatur	■
Cable length	2.60 m.
Gross weight case	6.26 Kg.
Case size (mm.) (H x W x D)	508 x 305 x 305
Gross weight package	7.7 Kg.
Net weight package	5.75 Kg.
Packaging size (mm.) (H x W x D)	510 x 310 x 310
Nº units shipped	1
Saleable units per layer	8
Nº items per pallet	24
Pallet size (mm.) (H x W x D)	1,530 x 1,200 x 800

H: Height,   W: Width,   D: Depth